

Studien “Open Dialogue”

Seikkula, Altonen, Alakare et. al. (2006). “Five-year experience of first-episode nonaffective psychosis in open dialogue approach: Treatment principles, follow-up outcomes, and two case studies.” *Psychotherapy Research*, 16(2): 214-228.

Jablensky, A. (1992). *Psychological Medicine*. Supplement 20, pages 1-95.

Harding, C. (1987). “The Vermont longitudinal study of persons with severe mental illness.” *American Journal of Psychiatry* 144: 727-734.

Harrow, M. and Jobe, T. (2007). “Factors involved in outcome & recovery in schizophrenia patients not on antipsychotic medications: a 15-year multifollow-up study.” *The Journal of Nervous and Mental Disease*, 195(5): 406-14.

Seikkula, J., Alakare, B., & Aaltonen, J. (2000). “A 2-year follow-up on open dialogue treatment in first-episode psychosis: Need for hospitalization and neuroleptic medication decreases.” *Social and Clinical Psychiatry*. 10(2): 20-29.

Seikkula, J., Alakare, B., Aaltonen, J., Holma, J., Rasinkangas, A. & Lehtinen, V. (2003). “Open Dialogue approach: Treatment principles and preliminary results of a 2-year follow-up on first-episode schizophrenia.” *Ethical Human Sciences and Services*. 5(3): 163-182.

Whitaker, R. (2004). “The case against antipsychotic drugs: A 50-year record of doing more harm than good.” *Medical Hypotheses*. 62: 5-13.

Seikkula, J., Alakare, B., Aaltonen, J., Haarakangas, K., Keränen, J. & Lehtinen, K. (2006). “5 year experience of first-episode nonaffective psychosis in open dialogue approach: Treatment principles, follow-up outcomes, and two case studies.” *Psychotherapy Research*. 16(2): 214-228.

Seikkula, J. (2008). “Inner and outer voices in the present moment of family and network therapy. *Journal of Family Therapy*.” 30(4): x-xx.

Sidorov, P. & Seikkula, J. (Eds.) (2003). “Open talks between east – west.” Arkhangelsk: AGMA Publications.

Seikkula, J. (2005). “Dialogical analysis of theme sequences in Open Dialogues for Psychotic Crises: Comparing good and poor outcome cases.” In M.E. Abelian (Ed.), “Focus on psychotherapy research.” New York: Nova Science Publishing.

Seikkula, J. & Arnkil, T. (2006). “Dialogical meetings in social networks.” London: Karnac Books.

Seikkula, J., Aaltonen, J., Alakare, B., Haarakangas, K., Keränen, J. & Sutela, M. (1995). “Treating psychosis by means of open dialogue.” In S. Friedman (ed.) “The Reflective process in action.” New York: Guilford Publication.

Seikkula, J. (1994). "When the boundary opens: Family and hospital in co-evolution." *Journal of Family Therapy*. 16: 401-14.

Seikkula, J. (2007). "Network on networks: initiating an international cooperation for treatment of psychosis" (pp. 125-136). In H. Anderson & P. Jensen (Eds.). *Innovations in reflective processes.* London: Karnac Books.

Seikkula, J. (2003). "Dialogue is the change: Understanding psychotherapy as a semiotic process of Bakhtin, Voloshinov and Vygotsky." *Human Systems Journal*. 14(2): 3-22.

Keränen, J. (1992). "The choice between outpatient and inpatient treatment in a family-centred psychiatric treatment system." Summary. *Jyväskylä Studies in Education, Psychology and Social Research*, 93.

Seikkula, J., Arnkil, T. & Eriksson, E. (2003). "Postmodern society and social networks: Open and anticipation dialogues in network meetings." *Family Process*, 42(2): 185-203.

Seikkula, J & Sutela, M. (1990). "Coevolution of the family and the hospital: The system of boundary. *Journal of Strategic and Systemic Therapies.*" 9: 34-42.

Seikkula, J. & Olson, M. (2003). "The Open Dialogue approach to acute psychosis: Its poetics and micropolitics." *Family Process*, 42: 403-418.

Seikkula, J. & Trimble, D. (2005). "Healing elements of therapeutic conversation: Dialogues as an embodiment of love." *Family Process*. 44(3): 463-477.

Seikkula, J. (1995). "Psychose - eine Stimme über den gegenwärtigen Dialog." ["Psychosis – one voice of the present dialogue."] *Zeitschrift für Systemische Therapie*. 13:183-192.

Seikkula, J. (1984). "Psykoosi-psykykenlääkkeit-psykologia." ["Psychosis-psychotropics-psychology."] *Psykologia*. 19:102-07.

Seikkula, J. (2002). "Open Dialogue integrates individual and systemic approaches in serious psychiatric crisis." *Smith College Studies in Social Work*. 73: 227-245.

Seikkula, J., Alakare, B., & Aaltonen, J. (2001). "Open dialogue in psychosis I: An introduction and case illustration." *Journal of Constructivist Psychology*. 14: 247–265.

Seikkula, J. (2002). "Open dialogues with good and poor outcomes for psychotic crises: Examples from families with violence." *Journal of Marital and Family Therapy*. 28: 263-274.

Seikkula, J. (1993). "The aim of therapy is generating dialogue: Bakhtin and Vygotsky in family session." *Human Systems Journal*. 4: 33-48.

Seikkula, J., Alakare, B. & Aaltonen, J. (2001). "Open Dialogue in psychosis II: A comparison of good and poor outcome." *Journal of Constructivist Psychology*. 14: 267-284.

Seikkula, J. (1991). "Family-hospital boundary system in the social network." English summary. (pp. 227-232). *Jyväskylä Studies in Education, Psychology and Social Research*, 80.

Seikkula, J. (1995). "From monologue to dialogue in consultation with larger systems." *Human Systems Journal*. 6: 21-42.

Seikkula, J. (1994). "When the boundary opens: Family and hospital in co-evolution." *Journal of Family Therapy*. 16: 401-414.

Seikkula, J. & Berglund, G. (2000). "In the meeting with the family a language for joint experiences is co-created." In G. Berglund & E. Abrahamsson (Eds.) "Creative conversations." Stockholm, Mareld Books.

Seikkula, J., Alakare, B. & Haarakangas, K. (2001). "When clients are diagnosed 'Schizophrenic'." In B. Duncan & J. Sparks (Eds.), "Heroic clients, heroic agencies: Partnership for change." Ft. Lauderdale: Nova Southern University Press.

Katz, A.M., Shotter, J. & Seikkula, J. (2004). "Acknowledging the otherness of the other: Poetic knowing in practice and the fallacy of misplaced systematicity." T. Strong & D. Pare. (Eds.), "Furthering talk: Advances in the discursive therapies." (pp. 33-51). Kluwer Academic/Plenum Press.

Seikkula, J. (2005). "Open Dialogue as a way of mobilizing the social network as a resource in severe psychiatric crisis." In A. Lightburn & P. Session (Eds.), "Handbook of community-based clinical practice." New York: Oxford University Press.

Seikkula, J., Alakare, B. & Aaltonen, J. (2003). "Home treatment by open dialogue – a new way of organizing psychiatric treatment." In Sidorov, P. & Seikkula, J. (Eds.), "Open talks between east – west." Arkhangelsk: AGMA Publications.

Seikkula, J., Alakare, B. & Aaltonen, J. (2002). "Åpne samtaler ved psykoser." *Dialog*. 12(2&3): 62-75.

Seikkula, J. (2003). "Nätverket ökar resurserna vid psykosbehandling." *Tidsskrift for den Norske Legeforening*. 123: 3419-3421.

Holmesland, A-L. & Seikkula, J. (2005). "Livets stemmer: Om betydningen av sosiale nettverk for ungdom med psykiske vansker." (pp. 77-88). *Organisasjonen Voksne for Barn*. Barn i Norge 2005.

Seikkula, J. (2007). "Nytt språk for psykotisk pasient: reflekterende prosesser og åpen dialog." In Eliassen, H. & Seikkula, J. (Eds.), "Reflekterende prosesser i vardagen." Oslo: Universitetsforlaget.

Seikkula, J. (1996). "Från specifik metod till öppen dialog mellan olika stämmor i systemet." ["From specific method to open dialogue between different voices of the system."] Fokus på familjen. 24: 140-146.

Seikkula, J. (2001). "Öppna samtal: Socialt nät som resurs inom den psykiatriska vården." ["Open dialogue: Social net as a resource in psychiatric system."] Psykisk Hälsa. 42: 305-310.

Seikkula, J., Aaltonen, J., Alakare B. (1996). "Treating psychosis in Western Lapland: Reflective processes and open dialogue instead of hospitalisation and heavy medication." In "ISM-skriftserie, 35: Dialog og Refleksjon. Festskrift til professor Tom Andersen på hans 60 årsdag." Universitetet i Tromsø. Institutt for samfunnsmedisin.

Seikkula, J. & Keränen, J. (1994). "Potilaiden väkivallan kohtaaminen: Katsaus uusimpiin tutkimuksiin." ["How to deal with patient's violence: A Review of newest researches."] Suomen Lääkärilehti. 49(11): 1159-1165.

Kauranen, A., Seikkula, J. & Alakare, B. (2000). "Sosiaalisen verkoston muutos akuutin psykoosipotilaan verkostokeskeisessä hoidossa." ["The change of the social network of an acute psychotic patient in a network-oriented treatment."] Psykologia. 35(5): 403-415.

Seikkula, J. (2001). "Realismi, relativismi ja sosiaalinen konstruktionismi. Onko todellisuus olemassa vai onko se kielen konstruktio." ["Realism, relativism and social constructionism."] Psykologia. 36(6): 376-382.

Juntunen, P. & Seikkula, J. (2002). "Päiväosastohoito osana paranemisprosessia: Syömishäiriöpotilaiden kuvaukset itsestään, ongelmistaan, masentuneisuudestaan ja ahdistuneisuudestaan sekä sosiaalisista suhteistaan." Psykologia. 37: 403-411.

Seikkula, J. & Alakare, B. (2004). "Avoimet dialogit: Vaihtoehtoinen psykiatrien hoitojärjestelmä." Duodecim. 120(3): 289-96.

Arnkil, T.E., Seikkula, J. & Arnkil, R. (2005). "Hyvien käytäntöjen tutkittavuudesta, siirrettävyydestä ja jatkuvuudesta." Yhteiskuntapolitiikka. 70: 639-649.

Haarakangas, K. & Seikkula, J. (1999). "Psykoosi dialogisena ongelmana." ["Psychosis seen as a dialogical problem."] In K. Haarakangas & J. Seikkula (Eds.). "Psykoosi – uuteen hoitokäytäntöön." Helsinki: Kirjayhtymä.

Seikkula J. (1999). "Kun laitoksesta tulee koti. Pitkäaikaisen potilaan perhekeskeinen hoito." ["When the institution is the home: A family-centered treatment of a long-term patient."] In K. Haarakangas & J. Seikkula (Eds.), "Psykoosi – uuteen hoitokäytäntöön." Helsinki: Kirjayhtymä.

Seikkula, J. (1999). "Reflektiivinen tiimi ja avoin dialogi – kun itse keskustelu tulee tärkeimmäksi." ["Reflective team and open dialogue: When the dialogue itself becomes primary."] In J. Aaltonen & R. Rinne (Eds.), "Perhe terapiassa." Helsinki: SMS koulutuskeskus.

- Seikkula, J. (2001). "Ymmärryksemme psykoosista konstruoi hoitokäytännön – vai päinvastoin?" ["Our understanding of psychosis constructs our approach – or the opposite?"]. In R. Rinne & J. Seikkula (Eds.), "Ja äkisti uusi aikakausi." Jyväskylä: Gummerus.
- Arnkil, T. & Seikkula, J. (2005). "Tuomariksi houkuteltu tiede." (pp. 52-75). In S. Hänninen, J. Karjalainen, T. Lahti (Eds.), "Toinen tieto." Helsinki: Stakes.
- Seikkula, J. (1991). "Perheen ja sairaalan rajasysteemi potilaan sosiaalisessa verkostossa." ["Family-Hospital Boundary system in social network." English Summary.] Jyväskylä Studies in Education, Psychology and Social Research, 80. Dissertation.
- Seikkula, J. (1994). "Sosiaaliset verkostot: Ammattiauttajan voimavara kriiseissä." ["Social networks: The Resource in crisis for professional helpers."] Helsinki: Kirjayhtymä.
- Seikkula, J. (2000). "Åpne samtaler." ["Open dialogues."] Oslo: Tano Aschehoug.
- Rinne, R. & Seikkula, J. (Eds.) (2001). "Ja äkisti uusi aikakausi." ["All of a sudden a new era."] Jyväskylä: Gummerus.
- Eliassen, H. & Seikkula, J. (Eds.) (2006). "Reflekterande prosesser 20 år." Oslo: Universitetsforlaget.
- Seikkula, J. (1987). "Rajasysteemi - hoidettava yksikkö osaston ja perheen välillä." ["The Boundary System - A unit for treatment between the ward and the family."] *Perheterapia*. 3(3):11-13.
- Seikkula, J. (1993). "Kun elämä on sairastamista, on potilaallakin kaksi perhettä. Sairaalassa asuvan potilaan perheterapia." *Perheterapia*. 9(1):4-6.
- Seikkula, J. (1994). "Psykoosi ja sosiaalinen konstruktionismi." ["Psychosis and social constructionism."] *Perheterapia*. 10(2):4-10.
- Heikkinen, R-L & Seikkula, J. (1995). "Indikatiivinen ja symbolinen merkitysalue verkostokeskeisessä psykiatrisessa hoidossa." *Perheterapia*. 11(4).
- Seikkula, J., Wahlbeck, J-C., Rautiainen, E-L. (2005). "Oliko Tolstoi sittenkään väärässä. Perheterapian tuloksellisuus ja sen tutkimus." *Perheterapia*. 21(3):6-13.
- Seikkula, J. (2007). "Psykoterapia tieteellisesti perusteltuna hoitomuotona ja ainutkertaisena kokemuksena." *Perheterapia*. (2)23:33–36.
- Seikkula, J. (1996). "Psychotisches Verhalten als eine Geschichte der gegenwärtigen Interaktion: Eine sozial-konstruktionistisches Verständnis der Psychose." ["Psychotic behavior as one story of the actual interaction: Social constructionism in understanding psychosis."] *Zeitschrift für Systemische Therapie*. 14:4-17.

Seikkula, J. (2002). "Offener Dialog mobilisiert selbst bei schwierigen Psychiatriepatienten die verborgenen Ressourcen." ["Open Dialogue mobilizes the hidden resources in most serious psychiatric crisis."] In T. Keller & N. Greve (Eds.), "Systemische Praxis in der Psychiatrie" (pp.141-163). Heidelberg: Carl-Auer-Systeme Verlag.

Seikkula, J. (2003). "Wenn der Dialog zur Behandlung wird: Grundlagen des Gesprächs und Optimierung der Therapieversammlung." ["When dialogue becomes the aim of the therapy. Principles and guidelines for an optimal dialogue."] In P. Hohn, Y. Alanen, V. Aderhold & G. Hess (Eds.), "Psychotherapie der Psychosen – Integrative Behandlungsansätze in Skandinavien" (pp. 197-212). Giessen: Psychosozial-Verlag.

Seikkula, J., Alakare, B. & Aaltonen, J. (2003). "Offener Dialog in der Psychosebehandlung: Prinzipien und Forschungsergebnisse des Westlapplandsprojekt." ["Open dialogue in psychosis: Principles and results of research."] In P. Hohn, Y. Alanen, V. Aderhold & G. Hess (Eds.), "Psychotherapie der Psychosen – Integrative Behandlungsansätze in Skandinavien" (pp. 89–102). Giessen: Psychosozial-Verlag.

Seikkula, J., Aaltonen, J., Alakare, B., Haarakangas, K., Sutela, M. & Keränen, J. (1998). "Tratamiento de la psicosis mediante el diálogo abierto." ["Treating psychosis in Open Dialogue."] *Sistemas Familiares*. 14(2): 25-38.